Using differentiated instruction to teach immunological concepts to a diverse group of learners

Victor Rodriguez
Southwest High School
1685 Hollister Street
San Diego CA 92154
619-628-3600

victor.rodriguez@sweetwaterschools.org

Funded by the American Association of Immunologists:
John H. Wallace High School Teacher Summer Research Program

Mentored by
Wendy L. Havran, PhD, The Scripps Research Institute La Jolla, CA

Student Outcomes and Objectives

- Students will understand that science is a growing body of knowledge that serves to explain events in the natural world.
- Students will gain an understanding of the role of the immune system in combating disease.
- Students will be able to create a collaborative poster that demonstrates understanding of specific and non-specific defenses and the roles of different cells in the immune system.
- Students will use a model to simulate and explain a humoral response and a cell mediated response.
- Students will develop science literacy skills by using a structured approach to analyze a scientific journal article.

Science Background

The body's main defense against pathogens is the immune system which recognizes, attacks, destroys, and “remembers” pathogens that enter the body. It accomplishes this by making specialized cells that inactivate pathogens. For each different pathogen, the immune system will make cells that are specific to that pathogen. The function of the immune system is to fight infection and eliminate foreign invaders through the production of cells that inactivate foreign substances or cells. This process is called immunity.

There are two general categories of defense mechanisms against infection: nonspecific defenses and specific defenses. Most nonspecific defenses are like the outer walls of a fortress ae 0 Tdoeific57(]TJ14( ))4( )[TJ 0 Tm oelnst pathogens i inac(oy)14(s



Image retrieved June 5, 2011 from http://www.cps.ci.cambridge.ma.us

If a pathogen is able to escape the body's nonspecific defenses, the immune system responds with a series of specific defenses that attack the disease-causing agent. An antigen is a substance that triggers an immune response. Viruses, bacteria, and other pathogens may serve as antigens that trigger responses by the immune system.

The cells of the immune system that recognize specific antigens are two types of lymphocytes: B lymphocytes (B cells) and T lymphocytes (T cells). B cells provide immunity against antigens and pathogens in the body fluids. This process is called humoral immunity. T cells provide a defense against abnormal cells and pathogens inside living cells. This process is called cell-mediated immunity.

When a pathogen invades the body, its antigens are recognized by a small subset of the body's B cells. These B cells grow and divide rapidly; producing large numbers of plasma cells that release antibody, subsequently some of the B cells become memory B cells.

Antibodies are proteins that recognize and bind to antigens. The antibodies are carried in the bloodstream to attack the pathogen that is causing the infection.

After an initial exposure to a pathogen, millions of memory B cells remain in the body capable of producing antibodies specific to that pathogen. These memory B cells prevent the pathogen from causing disease a second time. If the same antigen enters the body a second time, a secondary response occurs. The memory B cells divide rapidly, forming new plasma cells. The plasma cells produce the specific antibodies needed to destroy the pathogen.

An antibody is shaped like the letter Y and has two identical antigen-

recognizing and interacting with epitopes of foreign antigen on the surface of virus infected cell. Type 1 helper T cells produce memory T cells which will cause a secondary response if the same antigen enters the body again. Type 2 helper T cells stimulate B cells into proliferation which causes an increase in antibody production within the humoral response. After a pathogen has been brought under control regulatory T cells release substances that shut down the killer T cells so that the body returns to homeostasis.

Implementation Guide

Rationale

The four activities within this unit are designed to give students opportunities to explore, learn, and peer teach concepts related to the general function of the immune system. The specific assignments are geared toward a general biology course but the strategies are applicable for honors or AP biology classes if the content is scaled up. The order in which they should be applied follows a scaffolding approach where students uncover new knowledge at each level and then use it to bridge their understandings to new learning.

Collaborative Group Poster

Collaborative posters are a great way to help students synthesize their understanding in a visual form with close reference to the text. Creating a poster encourages student's creativity while assisting student's self assessment via a rubric. This strategy is applicable to any topic as well as beneficial for students' use as a means to express creativity and to familiarize students with this type of performance task throughout the year.

Time requirements

The collaborative poster is designed to be implemented over 2 hours. One hour for creating the poster and one hour for presentations.

Materials

Poster Paper
Markers
Text Books or Web based resources

Procedures

In this task, students will be assigned a portion of text from the immunology section of a biology textbook such as *Biology* by Miller and Levine or *Biology 8th ed.* by Campbell. This group activity can be scaled up or down depending on the level of the class such as regular, honors, or AP.

Concepts to be considered:

- Age this of DNase 1 Tes gasa ( ) 0.012 Tc 0.012 Tw 1.35 1.5 1 2 3 BDC BDC 0.001 Tc 0

As groups plan and create their poster, a rubric is essential to ensure that they discuss the text, stay on task, and use images to highlight main ideas rather than merely to decorate the poster. Each student in the team uses a single and distinct color marker, meaning each member uses a different color to represent his/her work on the poster. Each group member also signs the poster in his/her respective color when the group agrees that the poster is complete.

After the posters are complete, groups present the information to the whole class, or groups share the information in a gallery walk format.

Source: Quality Teaching for English Learners (West Ed website)

Biology Action Modeling

Biology action modeling is a strategy that allows students to participate in active learning where they manipulate a simple materials model that simulates a dynamic biological process. This approach to learning increases student accountability for their own learning and allows multiple opportunities for the teacher to check for understanding. In addition, the modeling will help students take an abstract concept and make it tangible and more concrete.

This action model demonstrates how humoral immunity and the cell mediated response function to combat disease. Students will be able to model the interaction between antigens, B-cells, T-Cells, and antibodies.

Objective:
Students will explore how antibodies and different lymphocytes help protect against pathogens. Students will be able to model the interaction between antigens, B-cells, and antibodies.

Vocabulary:

Specific defense	Memory B Cells	Cell Mediated
Antibody	T Cells	Response
Antigen	Pathogens	Immune response
B Cells	Humoral Response	

Pre-requisite knowledge:
Students should be familiar with the structure and function of various organelles.
Students should know the process of protein synthesis.
Students should be familiar with recurring themes such as homeostasis and form and function.

Time Requirements:

1. Preparation of model pieces and pre-lab questions - 1 hour
2. Modeling of processes - 1hour

Materials
Templates of Action Model (laminated or printed on card stock)
Scissors
Tape

Directions about model:
This modeling process is to be done by groups of 3-4 students. Students will use the textbook to read about the processes of humoral immunity and the cell mediated response. Then, the students complete the pre-lab questions. They will use this information to model the process by following the student hand out. Guiding questions for the groups should be used to monitor student progress and to check for understanding as students interact with the model.

Guiding/Prompt Questions
The following questions can be used during the modeling processes to assess whether the students are able to demonstrate mastery on each part of the Biology Action Model. Keep in mind that these are only suggested guiding questions and may be modified to suit the level of your students and your curriculum.

Part A – Preparing and Labeling
Ask students to identify all major pieces of the model.
Ask students to indicate where in the body these structures are found.

Part B – Humoral Response
Ask students where in the body this process takes place.
Ask students to model the process of antigen recog
/

In the picture below, a precipitin line can be seen between the center and outer wells. The fact that the line is continuous indicates that all wells contain the same antigen. Antibodies and antigens that are not complementary will diffuse past one another in the agar and will not form a precipitate.



Picture taken by Victor Rodriguez (2011)

The scenario for this lesson is centered on hypersensitivity to environmental antigens that are generally not particularly harmful (e.g., pollen, dust mite excrement, mold, drugs, food, etc.). In these situations, the immune system reacts to these antigens by producing a type of antibody known as immunoglobulin E (IgE). IgE antibodies trigger the release of histamine by mast cells, which then leads to typical allergic symptoms. An extreme response is called an anaphylactic response.

Materials for experiments 1 and 2 (per class and per team of students):

* Anti-chicken egg albumin (Sigma Chemical Co.)
* 2 - 1.5% agarose plates
* 6 mm diameter soda straw
* Toothpick
* Glass marking pen
* Small quantities of:
    - o Raw egg white (diluted 1:625)
    - o Uncooked egg-enriched pasta (1:40)
    - o Uncooked egg-free pasta (1:40)
* Samples of various foods:
    - o some positives (egg-containing) like mayonnaise (1:10), custard (1:10), pasta (1:40), baked items (1:10), egg white
    - o some negatives (without egg) like sugar, salt, milk, beef broth, molasses, etc.

The dilution is not critical on negatives.

AlTih awl 54 a adelymne stor thfkuper50 Tc 0 Tw 21.3414.68 ( )Tj 0.004 TTd (-)Tj 0.004 Tc -0

Preparation:

Most of these materials are cheap and easily obtainable. Dilutions can be made days in advance and stored until needed. Plates should be made several days prior to use to allow proper drying. Antibody is the biggest expense but a little bit goes a long way. (2 ml supplies 50 teams of 2) Out-of-date antibody would be cheaper and would still work for these experiments. Antibody (Anti-Chicken Egg Albumin) from Sigma Chemical Co., P.O. Box 14508, St. Louis, MO 63178 Stock # C-

Procedures

Interpreting Graphics - -


chemokines that may assist in
wound repair.

Student Handout Section

Name _____Date _____Period_____

Immune System Collaborative Posters

Introduction: You and your group will create a poster through a collaborative effort that demonstrates understanding of the immune system. The poster will show what you have learned through your reading and investigations.

Topic or page numbers assigned by your teacher _____

Directions: Working in groups of 3-4 students you will create a poster that will include the following elements

1. Title for your poster
    a. Must be more than one word
    b. Must include the concept you were assigned (be creative)
2. Concept map
    a. All members must agree on a concept map.
    b. Should include key vocabulary and main idea words discussed in readings and investigations.
3. Sum It Up
    a. A 20 word summary of your section of the immune system reading.
    b. Whole group must agree on the Sum It Up
4. Illustrations
    a. 2 or more drawings or diagrams that illustrate your key learning about the immune system. Illustrations should be accompanied by a short explanation.

IMPORTANT: Each student is to select a colored marker and only use that color. You will sign your poster with that marker when the poster is complete. Review the rubric as you will self assess your work when you are complete. Be prepared to present the poster to the class or set it up for a gallery walk.

Group Members:

_____
_____
_____
_____

Name _____Date _____Period_____



Storyboard

















Name _____Date _____Period_____

Double Diffusion Lab

Introduction:

You have modeled how antibody and antigen interact and you understand that the antibody binding sites are very specific. Now, you will carry out a lab that will use real antibody and antigen to demonstrate this specificity. This assay is based on the formation of a precipitate (precipitin line) when an antibody reacts with its specific antigen. In this test, often called the Ouchterlony test, antibody and possible antigens are placed in wells in agar plates and diffuse toward one another. The antibody is placed in a center well and antigens (specific or nonspecific) are placed in surrounding wells. When an antibody and its specific antigen meet one another and they are at the proper concentrations, the precipitate will form a visible white line between the two wells.



Procedures:

1. Obtain a plate with the agarose gel and create six holes like in the image above.
2. Have your teacher place the antibody in the center well.
3. Place different substances that have been diluted in the outer wells.
4. If the substances contained egg product, they will form a precipitin line as shown above.

Mystery:

Stan's Salad Saga

As Stan lay in his hospital bed, red, swollen and gasping for breath, he agonized over the cause of the near life-threatening reaction he had suffered. All of his adult life he had known of his allergy to eggs. His physician had made abundantly clear to him the severity of the reaction that he could expect if he included eggs in his diet. Now, he was suffering from the very symptoms that had been predicted. He wasn't allergic to lots of different things. Eggs were the only substance that could have brought him to this extreme condition. Now, he faced a multi-thousand dollar hospital bill, and his insurance agent was placing the blame on him. The company would refuse to pay if Stan was shown to have been negligent. He had been far too careful to have made a mistake on his own. He had to somehow convince his agent that he was not at fault. Someone else was responsible for his being here! For the benefit of both his insurance agent, Carl, and his allergist, Judy, he recapped the activities prior to this onset of anaphylactic shock.

It had been a typical day with the exception of his departure time for work. Running late, he had not had time to eat breakfast or make his lunch. He grabbed an apple on his way out the door. When the lunch hour came, he went to the nearest branch of a local grocery chain to get a salad at the salad bar. The pasta salad looked particularly appealing that day. Conscientiously, Stan asked the salad technician whether any eggs were used in the salad. He was assured that the salad was egg-free. Stan's decision was made. His wife would be pleased that he was avoiding his usual high cholesterol diet. Stan had walked to the park to eat his lunch and that was when the crisis began. After eating only three or four bites of lunch, he began to experience a burning sensation in his ears, and he had trouble breathing. A police officer who happened to be nearby noticed his difficulty and made a 911 emergency call. That is how Stan ended up in the hospital.

Knowing that Stan was not allergic to anything else that he had eaten, the contents of the pasta salad became the immediate focus of the allergist's attention. A sample had

Images for Group Discussion

(Jameson 2002)



(Jameson 2002)



(Jameson 2002)